



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#99 Magics Black Smoker, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#98 Magics Bubble n Squeak Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#97 Magics Wiener,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#96 Peach Buddocks, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#95 Surf n Turf, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#94 T.I.B.'s Flesh, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#93 T.I.B.'s Soylent Gr, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#92 VSB Steel Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten
Naturwissenschaften - GmbH

Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#92 VSB Steel Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#91 Fundos Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten
Naturwissenschaften - GmbH

Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#90 T.I.B. Drop Dead Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#90 T.I.B. Drop Dead Gr, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#9 Honey Gold, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#89 Ace U be Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#88 Uncut Magenta, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#87 Renkmans Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#86 Holy White, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#85 Sepia Brown, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#84 Clay Brown, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#83 Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#82 Sangria Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	▪
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Barium is a component of the raw material CI 77120 (barium sulfate)

Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#81 Eggshell, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#80 Magenta in Law, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#80 Magenta in Law, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#8 VSB Human Blood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#79 Pallor Asian Skin, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#78 Little Pony Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#77 Death Cherries Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#76 Royal T.S. Peppermi, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#75 Royal T.S. Brass Knuckles, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#74 XXX-Black,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#73 Royal T.S. Violent Violet, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#72 Violent Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	▪
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Barium is a component of the raw material CI 77120 (barium sulfate)

Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#71 Royal T.S. Bermuda, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#70 Uncut Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#7 Dark Cherry, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#69 Dark Knight Grey, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#68 Luminous Alien Blood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#67 Pastel Turquoise, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#66 Arctic Eyes Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#65 Mermans Skin, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#64 Opal Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#63 Sienna Brown, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#62 Uncut Red, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#61 Uncut Yellow, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#60 Magenta, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#6 Bubble Gum Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#56 XXX-Dark, #57 XXX-Medium, #58 XXX-Light, #59 XXX-Superlight.

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#54 Olive, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#53 Rotten Corpse, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#52 Sulfur Yellow, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#51 Ivan Drago Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#50 Dark Seaweed Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#5 Barbies Blood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#49 Sacred Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#47 Steel Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#45 Purple Haze, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#44 Tanned Asian Skin, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#42 Passed Tomato, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#41 Aura Orange, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#40 Dark Chocolate 2.0, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#4 Green Apple, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#39 Hazelnut, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#38 Woodruff, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#37 Rosewood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten
Naturwissenschaften - GmbH

Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#36 Sandalwood, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#35 Biscuit, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#34 Paw Paw, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#33 Blond 2.0, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#32 Honolulu Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#31 Black Tribe, Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#30 Rambos Make-up, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#3 Dirty Carrot, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#29 Rambos Snot, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#28 Mudhopper Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#27 Poison Ivy, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#26 Signal O., Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#25 Yellow Pudding, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#24 VSB The Wave, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#23 VSB Hawaii, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#22 Real Petrol, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#21 PigsNBlue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#20 Plastic Berry, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



H-A-N - Haus der Angewandten
Naturwissenschaften - GmbH

Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#19 Classic Dark Violet, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#18 Light Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#17 Medium Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#16 Royal Blue, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#14 Lilac Dreams 2.0, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#13 Old Skull, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#12 Yellow Sunshine, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#111 Deep Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#11 Silky Leaf Green, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	■
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Contains nickel. Can cause allergic reactions.

Warnung: Enthält Nickel. Kann allergische Reaktionen verursachen

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#109 C.P.'s Miami Cannibal, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	■
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Barium is a component of the raw material CI 77120 (barium sulfate)

Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#108 C.P.'s Flesh Wound, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	▪
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Barium is a component of the raw material CI 77120 (barium sulfate)

Enthält Barium als Bestandteil des Rohstoffes CI 77120 (Bariumsulfat)

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#107 C.P.'s Organic Pink, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#106 C.P.'s Pork Pie,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#105 C.P.'s Cinnamon Roll,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#104 C.P.'s Sweet Caramel, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#103 C.P.'s Peanut Butter, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#102 C.P.'s Curry King, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#101 C.P.'s Honey Mustard, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#10 Jack O' Lantern, Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm



Certificate

Zertifikat

Maximum allowed concentrations of impurities for tattoo inks
Maximal zulässige Grenzwerte an Verunreinigungen in Tätowierfarben

#1 All-White,Bullets Tattoo Ink

Element or compound	Limit	Passed
Arsenic (As)	2,0 ppm	✓
Barium (Ba)	50,0 ppm	✓
Cadmium (Cd)	0,2 ppm	✓
Cobalt (Co)	25,0 ppm	✓
Chromium (Cr), VI	0,2 ppm	✓
Copper (Cu), soluble	25,0 ppm	✓
Mercury (Hg)	0,2 ppm	✓
Nickel (Ni)	0,5 ppm*	✓
Lead (Pb)	2,0 ppm	✓
Selenium (Se)	2,0 ppm	✓
Antimony (Sb)	2,0 ppm	✓
Tin (Sn)	50,0 ppm	✓
Zinc (Zn)	50,0 ppm	✓
Polycyclic aromatic hydrocarbons (PAH)	0,5 ppm	✓
Benzene-a-Pyrene (BaP)	5,0 ppb	✓

Warning: Can contain traces of nickel. Can cause allergic reactions.

Warnung: Kann Spuren von Nickel enthalten. Kann allergische Reaktionen verursachen.

Source/Quelle: CTL 357227_2

testing according to COE Resolution ResAP(2008)1 on requirements and criteria for the safety of tattoos and permanent make-up only Part 3

Methods: ICP-MS method acc. to DIN 11885; Analysis acc. To COE ResAP (89)

Esslingen, 2013-05-31

* As low as technically achievable i.e. 0,5 ppm